

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

DISPLAY LIGHT




FIG. 7




FIG. 8






FIG. 9




FIG. 10

APL OF 4:3 PICTURE+ SIDE PANEL (%)	SIDE PANEL DATA (/255)	ACTUAL BRIGHTNESS (cd/m <sup>2</sup> )	APPARENT BRIGHTNESS (cd/m <sup>2</sup> )
0	6	9.4	10±1
1	6	9.3	10±1
2	7	10.7	10±1
3	7	10.6	10±1
4	7	10.4	10±1
5	7	10.3	10±1
6	7	10.2	10±1
7	7	10.0	10±1
8	7	9.9	10±1
9	7	9.7	10±1
10	7	9.6	10±1
11	7	9.5	10±1
12	8	10.7	10±1
13	8	10.5	10±1
14	8	10.4	10±1
15	8	10.2	10±1
16	8	10.0	10±1
95	26	10.2	10±1
96	26	10.2	10±1
97	26	10.2	10±1
98	26	10.2	10±1
99	26	10.2	10±1
100	26	10.2	10±1

FIG. 11

APL OF 4:3 PICTURE+ SIDE PANEL (%)	SIDE PANEL DATA (/255)	ACTUAL BRIGHTNESS (cd/m <sup>2</sup> )
0	26	40.0
1	26	39.5
2	26	39.0
3	26	38.5
4	26	38.0
5	26	37.5
6	26	37.0
7	26	36.5
8	26	36.0
9	26	35.5
10	26	35.0
11	26	34.5
12	26	34.0
13	26	33.5
14	26	33.0
15	26	32.5
16	26	32.0
95	26	10.0
96	26	10.0
97	26	10.0
98	26	10.0
99	26	10.0
100	26	10.0

FIG. 12 A




FIG. 12 B




FIG. 13 A




FIG. 13 B

